## SEGBERT PALLETIZING & AUTOMATION

## VBS 30 Electrostatic Blocker


For aligning, pressing and electrostatic blocking of loose bundles resulting in optimal bundle quality for secure transport


**Technical Specifications** 


Measurements		4
Height		2450 mm
Width		1015 mm
Length without safety	tunnel	550 mm
Inlet height		800 – 900 mm
Outlet height		800 – 900 mm
Bundle height	max.	300 mm
Product width		145 – 310 mm
Product length	max.	420 mm
Cycle performance	max.	30 cycles/min.
Pneumatic connection		
Air pressure	min.	6 bar
Air consumption	max.	90 l/min., unoiled dry air
Electrical connection		
Voltage		230 V, 1 Phase, zero conductor, earth, 50 Hz
Power		1 kW
Fuse		16 A slow-blow fuse
Features		Product stamp pre-set according to product height
		Product stamp width continuously adjustable
		Automatic size setting with servo technology
		Operation via touch screen













Gutenbergstraße 16 Telefon -D-48683 Ahaus Telefax -

Telefon +49 (0) 25 61/95 04-0 Telefax +49 (0) 25 61/95 04-20 Mail segbert@segbert.com

Sitz der Gesellschaft: Ahaus Persönlich haftender Gesellschafter: Segbert GmbH USt.-Id.Nr. DE 123788344 Gerichtsstand: AG Coesfeld, HRB 4251 Geschäftsführer: Klaus Segbert Volksbank Gronau-Ahaus eG IBAN: DE33 4016 4024 0602 0192 00 BIC: GENODEM 1GRN

> www.segbert.com <